bittrade

Release 0.1.1

Feb 02, 2018

Contents

1 Overview **1**
- 1.1 Installation . . . 1
- 1.2 Documentation . . . 1
- 1.3 Development . . . 1

2 Installation **3**

3 Usage **5**

4 Reference **7**
- 4.1 bittrade package . . . 7

5 Contributing **9**
- 5.1 Bug reports . . . 9
- 5.2 Documentation improvements . . . 9
- 5.3 Feature requests and feedback . . . 9
- 5.4 Development . . . 10

6 Authors **11**

7 Changelog **13**
- 7.1 0.1.0 (2018-01-31) . . . 13

8 Indices and tables **15**

Python Module Index **17**

CHAPTER 1

Overview

docs	
tests	
package	

Crypto trading AI agent.

- Free software: MIT license

1.1 Installation

```
pip install bittrade
```

1.2 Documentation

https://bittrade.readthedocs.io/

1.3 Development

To run the all tests run:

```
tox
```

Note, to combine the coverage data from all the tox environments run:

Windows	`set PYTEST_ADDOPTS=--cov-append` `tox`
Other	`PYTEST_ADDOPTS=--cov-append tox`

CHAPTER 2

Installation

At the command line:

```
pip install bittrade
```

CHAPTER 3

Usage

To use bittrade in a project:

```
import bittrade
```

CHAPTER 4

Reference

4.1 bittrade package

4.1.1 Subpackages

bittrade.data package

Submodules

bittrade.data.google_client module

Module to retrieves Google Finance data.

This module contains various price for stocks and crypto.

`bittrade.data.google_client.`**`get_close_price`**(*target*, *period='1Y'*)

Get the close price, for every target ticker.

Parameters

- **target** (*EMPTY*) – EMPTY
- **period** (*str*) – EMPTY

Returns *EMPTY* – EMPTY

`bittrade.data.google_client.`**`get_close_price_table`**(*targetList*, *interpolation=True*, *period='1Y'*)

EMPTY

`bittrade.data.google_client.`**`get_price_data`**(*query*)

Use Google Finance to get data.

Parameters **query** (*str*) – EMPTY

Returns *pandas.DataFrame* – EMPTY

Module contents

4.1.2 Submodules

4.1.3 bittrade.cli module

Module that contains the command line app.

Why does this file exist, and why not put this in __main__?

> You might be tempted to import things from __main__ later, but that will cause problems: the code will get executed twice:
>
> - When you run *python -mbittrade* python will execute `__main__.py` as a script. That means there won't be any `bittrade.__main__` in `sys.modules`.
> - When you import __main__ it will get executed again (as a module) because there's no `bittrade.__main__` in `sys.modules`.
>
> Also see (1) from http://click.pocoo.org/5/setuptools/#setuptools-integration

4.1.4 Module contents

CHAPTER 5

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

5.1 Bug reports

When reporting a bug please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.2 Documentation improvements

bittrade could always use more documentation, whether as part of the official bittrade docs, in docstrings, or even on the web in blog posts, articles, and such.

5.3 Feature requests and feedback

The best way to send feedback is to file an issue at https://github.com/JunhaoWang/bittrade/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that code contributions are welcome :)

5.4 Development

To set up *bittrade* for local development:

1. Fork bittrade (look for the "Fork" button).
2. Clone your fork locally:

```
git clone git@github.com:your_name_here/bittrade.git
```

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

   Now you can make your changes locally.

4. When you're done making changes, run all the checks, doc builder and spell checker with tox one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .
git commit -m "Your detailed description of your changes."
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

5.4.1 Pull Request Guidelines

If you need some code review or feedback while you're developing the code just make the pull request.

For merging, you should:

1. Include passing tests (run `tox`)[1].
2. Update documentation when there's new API, functionality etc.
3. Add a note to `CHANGELOG.rst` about the changes.
4. Add yourself to `AUTHORS.rst`.

5.4.2 Tips

To run a subset of tests:

```
tox -e envname -- py.test -k test_myfeature
```

To run all the test environments in *parallel* (you need to `pip install detox`):

```
detox
```

[1] If you don't have all the necessary python versions available locally you can rely on Travis - it will run the tests for each change you add in the pull request.
It will be slower though ...

CHAPTER 6

Authors

- Junhao Wang - https://the-hao.com/
- Dongxu Li - https://leodongxu.wixsite.com/quant

CHAPTER 7

Changelog

7.1 0.1.0 (2018-01-31)

- First release on PyPI.

CHAPTER 8

Indices and tables

- genindex
- modindex
- search

Python Module Index

b

bittrade, 8
bittrade.cli, 8
bittrade.data, 8
bittrade.data.google_client, 7

Index

B

bittrade (module), 8
bittrade.cli (module), 8
bittrade.data (module), 8
bittrade.data.google_client (module), 7

G

get_close_price() (in module bittrade.data.google_client), 7
get_close_price_table() (in module bittrade.data.google_client), 7
get_price_data() (in module bittrade.data.google_client), 7